

1734

RECEIVED
CENTRAL FAX CENTER

JUL 05 2006

AMENDMENTS TO THE CLAIMS

The listing below of the claims will replace all prior versions and listings of claims in the present application:

Listing of Claims:

Claim 1 (currently amended): A method of producing a molybdenum-silicide-type heating element containing essentially molybdenum silicide and alloys of that material, said method comprising the steps of: producing a material that contains substantially $\text{Mo}(\text{Si}_{1-x}\text{Al}_x)_2$ and Al_2O_3 by mixing a molybdenum aluminum silicide $\text{Mo}(\text{Si}_{1-y}\text{Al}_y)_2$ with SiO_2 , wherein the SiO_2 is at least 98% pure and wherein wherein x lies in the range of 0.4 - 0.6; and forming a heating element from the produced material, wherein the heating element includes on its surface a protective Al_2O_3 oxide layer that does not peel under thermal cycling of the heating element between room temperature and about 1500°C.

Claim 2 (currently amended): A method according to Claim 1, wherein the SiO_2 present in the mixture is a silicate and does not affect ~~symmetry of~~ molybdenum silicide crystal lattice symmetry.

Claim 3 (canceled)

1734

Claim 4 (previously presented): A method according to Claim 1, wherein x lies in the range of 0.45 - 0.55.

Claim 5 (currently amended): A method according to Claim 1, including the step of partially substituting at least one of Re or W in the material $\text{Mo}(\text{Si}_{1-x}\text{Al}_x)_2$ for molybdenum.

Claim 6 (currently amended): An electrical heating element that is substantially of the molybdenum silicide type and alloys of that material, said element comprising the materials $\text{Mo}(\text{Si}_{1-x}\text{Al}_x)_2$ and Al_2O_3 , wherein x lies in the range of 0.4 - 0.6; wherein SiO_2 having a purity of at least 98% is included in the material; and wherein the heating element includes on its surface a protective Al_2O_3 oxide layer that does not peel under thermal cycling of the heating element between room temperature and about 1500°C.

Claim 7 (canceled)

Claim 8 (currently amended): A heating element according to Claim ~~7~~ 6, wherein x lies in the range of 0.45 - 0.55.

Claim 9 (currently amended): A heating element according to Claim ~~5~~ 6, wherein molybdenum in the material $\text{Mo}(\text{Si}_{1-x}\text{Al}_x)_2$ is partially replaced with at least one of Re and W.

1734

Claim 10 (previously presented): A method according to claim 2, wherein the silicate is mullite.

Claim 11 (new): A method according to claim 2, wherein the silicate is sillimanite.